

# REDONDOS

ALUMINIOS Movil: 655 58 44 88




Fax: 96 2993424

Tel: 96 2994050

Ø exterior	Espesor
6	1
8	1
8	1.5
8	1.9
8	2.5
9	1
9	2.75
9.3	1.7
9.5	0.75
9.5	1.25
9.52	1.6
9.9	1.85
10	1
10	1.2
10	1.25
10	1.4
10	1.5
10	2
10	2.5
10	2.75
11	1.25
11	1.35
11	1.5
11.5	1.25
11.8	0.8
11.8	1.3
12	1
12	1.25
12	1.35
12	1.5
12	2
12	2.4
12	3.25
12.5	1
12.5	1.3
12.9	1.5
13	1.25
13	1.5
13	3.4

Ø exterior	Espesor
13.1	1.3
13.25	1.25
13.34	2.77
13.5	1.3
14	1
14	1.25
14	1.5
14	2
14.5	0.8
14.8	1
15	1
15	1.5
15	2.5
15	3
15.5	1.1
15.8	2.65
15.8	5.4
15.88	1.22
15.9	1.8
16	1
16	1.1
16	1.2
16	1.3
16	1.4
16	1.5
16	2
16	3.5
16	4
16	4.4
16	4.6
16.3	1.15
17	1.5
17.1	3
17.12	3.035
17.12	3.075
17.3	1.3
17.5	1
17.5	1.4
17.6	1.4

Ø exterior	Espesor
17.8	1.5
17.8	2.4
18	1
18	1.1
18	1.3
18	1.5
18	2.5
18	3
18.5	1.35
18.5	1.45
18.6	1.35
18.6	1.4
18.6	1.5
18.8	1.4
19	1
19	1.1
19	1.3
19	1.4
19	2
19	3.35
19	6
19.5	2
19.8	2.3
19.9	1.25
19.9	1.45
19.95	1.25
20	1
20	1.1
20	1.2
20	1.3
20	1.4
20	1.5
20	1.8
20	2
20	2.5
20	2.7
20	3
20	4.9
20	6.6



# REDONDOS

ALUMINIOS Movil: 655 58 44 88




Fax: 96 2993424

Tel: 96 2994050

Ø exterior	Espesor
20.1	4.95
20.25	5
20.3	5
20.4	1.3
21	2.75
21	3
21.6	3.8
21.7	3.85
21.8	1
21.8	2.9
22	0.9
22	1
22	1.1
22	1.2
22	1.3
22	1.5
22	2
22	3
22	4
22	4.9
22	5
22	6
22.2	1.3
22.2	1.5
22.3	1.15
22.45	1.25
22.5	1
22.5	1.2
22.5	2
23	1
23.2	1.2
23.2	5.5
23.4	4.15
23.5	1.5
23.6	2
24	1
24	1.5
24	2

Ø exterior	Espesor
24.8	3
24.85	2
24.9	1.5
24.9	4.25
25	1
25	1.1
25	1.15
25	1.2
25	1.3
25	1.4
25	1.5
25	1.8
25	2
25	2.5
25	3
25	3.5
25	5.85
25	6.4
25	6.43
25.4	2.25
25.4	3
25.4	3.25
25.5	2.25
25.5	6.5
25.6	4.55
25.6	4.65
26	1
26	1.2
26	1.7
26	2
26	4.31
26	4.5
26	4.75
26	4.83
26	5.9
26	6.5
26	6.95
26.5	1.25

Ø exterior	Espesor
26.5	1.5
26.5	3
27	1.2
27	3.85
27	4
27.5	1.5
27.7	2.3
27.8	1
28	0.9
28	1
28	1.2
28	1.3
28	1.5
28	1.5
28	1.75
28	2
28	2.5
28	2.7
28	3
28	4.9
28.3	1.4
28.4	1.5
28.5	4.65
28.6	1
28.6	1.85
28.7	1.3
28.7	1.6
28.8	1.2
28.8	2.4
29	1.2
29	2
30	1
30	1.2
30	1.3
30	1.4
30	1.5
30	1.6
30	2



# REDONDOS

ALUMINIOS Movil: 655 58 44 88




Fax: 96 2993424

Tel: 96 2994050

∅ exterior	Espesor
30	2.5
30	2.75
30	3
30	3.5
30	4
30	5
30	5.2
30	5.65
30	6
30	7.5
30	8
30	8.75
30.3	3.5
30.6	3
30.7	3.85
31	3.2
31.7	2.8
31.7	4.7
31.75	1.63
31.75	3.25
31.8	1.7
31.8	2
32	0.9
32	1.2
32	1.3
32	1.5
32	1.65
32	1.7
32	1.8
32	1.9
32	2
32	2.5
32	3
32	4
32	6.9
32	7
32	8
32.2	3.5
32.7	4

∅ exterior	Espesor
32.7	6.35
32.8	1.5
33	1.5
33	2.5
33	3
33	3.5
33	4
33.4	5.85
33.4	5.9
34	1.5
34	2.8
34.4	5.88
34.3	1.8
34.5	1.5
34.7	1.9
35	1.3
35	1.45
35	1.5
35	2
35	2.25
35	2.5
35	3.5
35	4
35	4.5
35	5.5
35	6.5
35	7.5
35	11.9
35.3	1.5
35.45	2.23
36	1.5
36.2	5.2
36.2	5.25
36.2	5.35
36.4	2.2
37	1.5
37	2.4
37	1.6
37.5	2.37

∅ exterior	Espesor
37.7	3.25
38	1.5
38	2.5
38	3
38	3.7
38	5
38	7.15
38.1	3.25
38.5	7.5
38.5	8.75
40	1.1
40	1.2
40	1.3
40	1.4
40	1.5
40	1.8
40	1.9
40	2
40	2.5
40	2.6
40	3
40	3.5
40	4
40	5
40	6.5
40	10
41	2
41.2	1.25
41.5	2.5
41.8	2.75
42	1.5
42	2
42	3
42	3.5
42	4
42.4	1.5
42.5	1.5
43	1.2
43	1.5



# REDONDOS

ALUMINIOS Movil: 655 58 44 88




Fax: 96 2993424

Tel: 96 2994050

Ø exterior	Espesor
43	8.15
43.2	1.7
44	0.85
44	1.5
44	1.52
44	2
44	5
44.45	0.9
44.5	2
45	1.2
45	1.3
45	1.4
45	1.5
45	1.6
45	1.8
45	2
45	2.15
45	2.2
45	2.5
45	3
45	4
45	8.5
45.6	2.8
46	1
46	1.5
46	2
46	11
46.5	3.25
46.6	1
47	1.8
47	2
48	1.5
48	1.7
48	2
48	2.5
48	3
48	3.5
48.3	3.7
48.4	4.47

Ø exterior	Espesor
48.42	4.47
48.5	1.5
48.5	2
48.5	3.75
49	2.5
50	1
50	1.1
50	1.3
50	1.4
50	1.5
50	1.8
50	1.95
50	2
50	2.5
50	3
50	3.5
50	4
50	5
50	10
50	11
50	11.5
50	17.5
50.3	10.15
50.4	12.7
50.55	2.67
50.6	1.5
50.6	1.7
50.6	2.5
50.8	0.8
50.8	0.94
50.8	1.63
50.8	2
50.8	3.2
50.8	3.25
50.8	6.15
51	6.52
51	2
51.4	9.7
51.5	1.5

Ø exterior	Espesor
51.7	1
52	6
53	1.5
53.98	1.54
54	1.5
54	2
54	3
55	1.4
55	1.5
55	1.8
55	2
55	2.5
55	6
55	7.5
55.5	1.5
56	5
56.5	1.5
56.5	1.85
57	2
57.5	1.2
57.6	1.5
58	1
59.3	2
60	1
60	1.1
60	1.2
60	1.3
60	1.4
60	1.5
60	1.8
60	2
60	2.3
60	2.5
60	3
60	4
60	5
60	6
60	9
60	10



# REDONDOS

ALUMINIOS Movil: 655 58 44 88




Fax: 96 2993424

Tel: 96 2994050

Ø exterior	Espesor
60	15
60	20
60.3	3.65
60.3	5.6
61.2	1.1
62	1.5
62	2
62	8.5
62.6	1.3
63	1.5
63	1.6
63	2
63	6
63	8
63.5	1
63.5	3
64	2
64	6
64.5	1.4
65	1.2
65	1.5
65	2
65	2.4
65	2.5
65	4
66	15
67	12
68	4
69.85	4.77
70	1
70	1.2
70	1.4
70	1.5
70	1.8
70	2
70	2.5
70	3
70	3.5
70	4

Ø exterior	Espesor
70	5
70	6
70	10
70	11
70.35	2
70.5	1.75
70.8	2
72	2
72	4
73.1	1.5
74	1.3
74	2
75	1.3
75	2.5
76	2.5
76	3
76	4
76.1	1.4
76.1	3
76.2	0.95
76.2	1
76.2	1.04
76.2	1.15
76.2	1.6
76.2	6.35
79	1.25
79.3	2
80	0.95
80	1
80	1.2
80	1.4
80	1.5
80	1.6
80	1.7
80	1.8
80	2
80	2.4
80	2.5
80	3

Ø exterior	Espesor
80	4
80	5
80	8
80	10
82	2.5
83	2
84	1.5
85	2.5
85	3
85	5
85	10
85	17
86	3
88.9	1.15
89	1.35
89	4
90	1.5
90	2
90	2.5
90	3
90	5
90	10
90	25
90	27.5
91.2	1.1
93.6	1.8
93.9	1.5
94	1.35
95	1.18
95	2.5
96	2
96	3
98	4.5
100	1.18
100	1.2
100	1.3
100	1.65
100	1.8
100	2



# REDONDOS

ALUMINIOS Movil: 655 58 44 88




Fax: 96 2993424

Tel: 96 2994050

Ø exterior	Espesor
100	2.5
100	3
100	4
100	5
100	7
100	8
100	10
100	12.5
100	15
100	20.5
100	21.5
100	25
100.5	1.18
100.5	1.3
101	1.5
101	1.6
101.6	1.1
101.6	1.12
101.6	1.18
101.6	1.6
101.6	1.7
101.6	1.8
101.6	25.4
102	2
102	3.5
102	8.25
102	12.5
103	1.5
105	1.55
105	2.5
105	10
105	15
106	1.5
106	3
107	4.5
108	4
110	1.3
110	1.35
110	1.5

Ø exterior	Espesor
110	2.5
110	3
110	4
110	5
110	10
110	12.5
110	15
110	20
110	25
111	1.3
111	1.35
112	1.1
112	1.2
113	16.5
114	1.4
114.3	5.6
114.3	6.35
116	2
116.4	1.4
118	10
120	3
120	5
120	6.5
120	7
120	8
120	10
120	12.5
120	15
120	20
120	30
122	3.5
124.6	4.7
125	1.3
125	1.4
125	2.5
125	3
125	5
125	10
126	2

Ø exterior	Espesor
127	1.2
127	1.23
127	1.3
127	1.4
127	1.5
127	2
127	2.2
127	3.4
127.8	1.8
128	1.5
130	1.3
130	1.5
130	2
130	2.5
130	3
130	5
130	10
130	15
130	20
130	25
131	3
132	1.25
132.6	1.3
132.6	1.45
134	4.7
135	5
137	7
139	1.8
139.7	3
140	5
140	7.5
140	10
140	15
140	20
140	25
140	30
143	1.5
145	16.5
150	1.5



# REDONDOS

ALUMINIOS Movil: 655 58 44 88




Fax: 96 2993424

Tel: 96 2994050

Ø exterior	Espesor
150	2
150	3
150	4.6
150	5
150	6
150	7
150	7.5
150	8
150	10
150	12.5
150	15
150	20
150	25
152	6
152	8.5
152.4	1.42
152.4	2.1
152.4	2.5
153.56	2
155	3
155	27.5
160	3
160	5
160	6
160	8
160	10
160	15
160	20
160	30
162	6
162.5	6
165	25
170	2.7
170	3
170	5
170	10
170	12
170	15
170	20

Ø exterior	Espesor
180	5
180	6
180	10
180	15
180	20
185	10
190	3
190	5
190	8
190	10
200	3
200	3.5
200	4
200	5
200	6
200	8
200	10
200	12.5
200	15
200	20
200	25
200	30
200	50
210	5
210	10
210	15
210	20
210	50
212	10
219	4
219	5
219	10
220	5
220	6
220	10
220	15
220	20
220	25
220	30

Ø exterior	Espesor
220	40
230	5
230	10
230	15
230	20
230	25
240	5
240	10
240	15
240	20
240	30
240	50
248	9.5
250	5
250	6
250	8
250	10
250	15
250	20
250	25
252	9
260	5
260	10
260	15
260	20
260	30
262	36
270	10
270	25
273	4
273	5
280	7
280	10
280	15
280	20
280	30
280	50
290	15
290	20



# REDONDOS

ALUMINIOS Movil: 655 58 44 88




Fax: 96 2993424

Tel: 96 2994050

Ø exterior	Espesor
290	50
300	8
300	10
300	11.5
300	20
300	34
300	60
303	18
310	20
310	25
310	27.5

Ø exterior	Espesor
312	6
322	17
324	6.5
330	40
350	10
350	16
350	50
360	17
365	25.5
365	40
380	23

Ø exterior	Espesor
386	20
395	10
400	10
400	10.5
400	22
400	30
400	50
400	65
410	18
410	20
480	10



# MACIZOS

Ø exterior
4.75
5
5.5
5.6
6
6.6
7
8
9
9.5
9.525
9.9
10
10.1
11.4
11.7
12
12.7
13
13.7
14
15
16

Ø exterior
17
17.5
18
19
19.2
20
22
23
24
25
26
27
28
30
31.75
32
33
34
35
36.1
37
37.1
37.2

Ø exterior
37.5
40
41
42
43
44
44.9
45
45.5
46
47
50
50.8
58
59.3
60
63
65
74.5
75
80
110